A 1.6:115/cont.+ind.

U. S. DEPARTMENT OF AGRICULTURE,
BUREAU OF ENTOMOLOGY—BULLETIN No. 115.
L. O. HOWARD, Entomologist and Chief of Bureau.

PAPERS ON DECIDUOUS FRUIT INSECTS AND INSECTICIDES.

CONTENTS AND INDEX.

UNIV OF FL LIB.
DOCUMENTS DEPT.
U.S. DEPOSITORY

ISSUED FEBRUARY 5, 1915.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1915.

U. S. DEPARTMENT OF AGRICULTURE,
BUREAU OF ENTOMOLOGY—BULLETIN No. 115.
L. O. HOWARD, Entomologist and Chief of Bureau.

PAPERS ON DECIDUOUS FRUIT INSECTS AND INSECTICIDES.

I. LIFE-HISTORY STUDIES ON THE CODLING MOTH IN MICHIGAN.

By A. G. HAMMAR, *Entomological Assistant,*
Deciduous Fruit Insect Investigations.

II. THE ONE-SPRAY METHOD IN THE CONTROL OF THE CODLING MOTH AND THE PLUM CURCULIO. (SECOND REPORT.)

By A. L. QUAINTANCE, *In Charge of Deciduous Fruit Insect Investigations,*
AND
E. W. SCOTT, *Entomological Assistant.*

III. LIFE HISTORY OF THE CODLING MOTH IN THE SANTA CLARA VALLEY OF CALIFORNIA.

By P. R. JONES AND W. M. DAVIDSON,
Entomological Assistants, Deciduous Fruit Insect Investigations.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1915.

BUREAU OF ENTOMOLOGY.

L. O. Howard, *Entomologist and Chief of Bureau.*
C. L. Marlatt, *Entomologist and Acting Chief in Absence of Chief.*
R. S. Clifton, *Chief Clerk and Executive Assistant.*
F. H. Chittenden, *in charge of truck crop and stored product insect investigations.*
A. D. Hopkins, *in charge of forest insect investigations.*
W. D. Hunter, *in charge of southern field crop insect investigations.*
F. M. Webster, *in charge of cereal and forage insect investigations.*
A. L. Quaintance, *in charge of deciduous fruit insect investigations.*
E. F. Phillips, *in charge of bee culture.*
A. F. Burgess, *in charge of gipsy moth and brown-tail moth investigations.*
Rolla P. Currie, *in charge of editorial work.*
Mabel Colcord, *in charge of library.*

Deciduous Fruit Insect Investigations.

A. L. Quaintance, *in charge.*

Fred E. Brooks, John B. Gill, R. L. Nougaret, A. C. Baker, R. A. Cushman, J. F. Strauss, W. F. Turner, J. H. Paine, E. H. Siegler, W. B. Wood, F. L. Simanton, E. B. Blakeslee, H. B. Scammell, *entomological assistants.*
E. J. Newcomer, W. M. Davidson, A. J. Ackerman, R. J. Fiske, Dwight Isely, E. W. Geyer, A. I. Fabis, B. R. Leach, H. G. Ingerson, H. K. Plank, *scientific assistants.*
E. W. Scott, W. S. Abbott, J. E. Dudley, Jr., *employed in enforcement of insecticide act of 1910.*

CONTENTS.

	Page.
LIFE-HISTORY STUDIES ON THE CODLING MOTH IN MICHIGAN. *A. G. Hammar*..	1
Introduction	1
Definition of terms used	2
Seasonal-history studies of 1909	3
Time of emergence of moths of spring brood	3
Time of emergence of moths of the first brood	4
Band-record experiments in 1909	5
Seasonal-history studies of 1910	6
Wintering larvæ	6
Spring brood of pupæ	8
Spring brood of moths	11
The first generation	14
The second generation	23
Band records of 1910	26
Summary of seasonal-history studies of 1910	31
Seasonal-history studies of 1911	32
Source of rearing material	33
Winter-killed larvæ	33
Spring brood of pupæ	34
Spring brood of moths	37
The first generation	42
The second generation	55
Band records of 1911	60
Summary of seasonal-history studies of 1911	65
Weather records for 1909, 1910, and 1911	66
Comparative life-history studies for the seasons of 1909. 1910, and 1911	70
Insect enemies	73
Predaceous insects	73
Parasitic insects	74
Nematode worms	76
Miscellaneous observations	76
Number of larval instars and molts of the codling moth	76
Cannibalism among larvæ of the codling moth	83
Codling moth larvæ remaining two seasons in the larval stage	83
Codling moth larvæ feeding on apple foliage	84
Summary	84
THE ONE-SPRAY METHOD IN THE CONTROL OF THE CODLING MOTH AND THE PLUM CURCULIO (SECOND REPORT). *A. L. Quaintance and E. W. Scott*..	87
Introduction	87
Experiments in Virginia	88
The codling moth	89
The plum curculio	91

THE ONE-SPRAY METHOD IN THE CONTROL OF THE CODLING MOTH AND THE PLUM CURCULIO (SECOND REPORT)—Continued. Page.
Experiments in Michigan ... 92
The codling moth ... 94
Experiments in Delaware ... 98
The codling moth ... 100
The plum curculio ... 102
Experiments in Kansas ... 102
The codling moth ... 105
Summary of results ... 107
Conclusions ... 110
LIFE HISTORY OF THE CODLING MOTH IN THE SANTA CLARA VALLEY OF CALIFORNIA ... *P. R. Jones and W. M. Davidson* ... 113
Introduction ... 113
Seasonal-history studies of 1909 ... 114
Spring brood of pupæ ... 114
Spring brood of moths ... 115
First generation ... 115
Second generation ... 118
Seasonal-history studies of 1910 ... 119
Spring brood of pupæ ... 119
Spring brood of moths ... 122
First generation ... 126
Second generation ... 135
Review of life-history work of 1910 ... 142
Seasonal-history studies for 1911 ... 143
Spring brood of pupæ ... 143
Spring brood of moths ... 147
First generation ... 150
Second generation ... 156
Natural enemies of the codling moth ... 160
Parasitic insects ... 160
Predaceous insects ... 161
Band records of 1909 ... 161
Band records of 1910 ... 162
Band records of 1911 ... 163
First-brood emergence *v.* overwintering emergence, 1911 ... 164
Review of life-history work of 1911 ... 165
Comparison of life history in 1910 and 1911 ... 165
Weather records for 1909, 1910, and 1911 ... 166
Comparative life-history studies for the seasons 1909, 1910, and 1911 ... 170
Control of the codling moth on pears and apples in the Santa Clara Valley ... 171
The O'Toole pear orchard at Alviso, Cal ... 172
Spraying operations ... 172
Season of 1910 ... 172
Season of 1911 ... 175
The Northern apple orchard ... 177
Season of 1911 ... 177
Conclusions from experiments in control ... 179
Summary ... 180
Index ... 183

ILLUSTRATIONS.

PLATES.

Page.

PLATE I. The codling moth (*Carpocapsa pomonella*). Fig. 1.—Variation in size of moths of the spring brood. Fig. 2.—Two moths resting on the trunk of an apple tree, showing protective coloration. Fig. 3.—Larva in winter cocoon. Fig. 4.—Larva in the act of remodeling the winter cocoon. Fig. 5.—Modified winter cocoon, with exit tube and silk partition. Fig. 6.—Cocoon after emergence of moth. Fig. 7.—Variation in size of wintering larvæ 1

II. Outdoor shelter used in rearing the codling moth in 1910 and 1911 at Douglas, Mich 6

III. Insect enemies of the codling moth. Fig. 1.—*Ascogaster carpocapsæ*, a hymenopterous parasite of codling-moth larvæ. Fig. 2.—Cocoon of *Ascogaster carpocapsæ* within a cocoon of the codling moth. Fig. 3.—*Pinacodera limbata*, a predaceous beetle destructive to codling-moth larvæ. Figs. 4, 5.—*Tenebroides corticalis*, beetle and larva, which feed upon the larva and pupa of the codling moth 74

IV. Fig. 1.—Picked apples from three trees of Plat I (demonstration) in the Edward Hutchins orchard, Fennville, Mich. Fig. 2.—Picked apples from three trees of Plat III (one spray) in the Edward Hutchings orchard, Fennville, Mich. Fig. 3.—Picked apples from three trees of Plat V (unsprayed) in the Edward Hutchins orchard, Fennville, Mich 96

TEXT FIGURES.

FIG. 1. Emergence curve of spring brood of moths in 1909 at Douglas, Mich. Records of R. W. Braucher 3

2. Emergence curve of first brood of moths in 1909 at Douglas, Mich 4

3. Curves showing maturity of larvæ of first and second broods; band-record curve of 1909 at Douglas, Mich 5

4. Device in obtaining pupal records of the codling moth 8

5. Diagram showing time of spring pupation of codling moth in 1910 at Douglas, Mich 9

6. Emergence curve of spring brood of moths in 1910 at Douglas, Mich 12

7. Emergence curve of summer brood of moths in 1910 at Douglas, Mich .. 18

8. Cage used in determining feeding period of codling-moth larvæ 26

9. Burlap bands on apple tree to catch codling-moth larvæ 28

10. Curves made from band-record experiments in orchards at the lake shore near Douglas, at Saugatuck, and at New Richmond, Mich., 1910 30

11. Diagram to illustrate seasonal history of the codling moth as observed during 1910 at Douglas, Mich 32

12. Curve of spring pupation of the codling moth in 1911 at Douglas, Mich .. 35

13. Curve showing relation of temperature to the duration of the pupal stage in the spring brood of the codling moth; Douglas, Mich., 1911 .. 36

Page.

FIG. 14. Emergence curve of moths of the spring brood in 1911 at Douglas, Mich. 38
15. Curve showing relation of the temperature to the time of incubation of first-brood and second-brood eggs of the codling moth at Douglas, Mich., 1911. 45
16. Emergence curve of moths of the summer brood in 1911 at Douglas, Mich. 50
17. Mailing case used for shipping codling-moth larvæ. 62
18. Curves made from band-record experiments in orchards at the lake shore near Douglas, at Douglas, and at New Richmond, Mich., 1911. 64
19. Curves made from band-record experiments in orchards at Pentwater, Douglas, and Benton Harbor, Mich., 1911. 66
20. Diagram illustrating seasonal history of the codling moth as observed during 1911 at Douglas, Mich. 67
21. Diagram showing time of emergence and relative abundance of spring-brood and summer-brood codling moths, and blooming period of apple trees, during 1909, 1910, and 1911, at Douglas, Mich. 71
22. Diagram showing time of leaving the fruit by the first-brood and second-brood larvæ of the codling moth during 1909, 1910, and 1911, at Douglas, Mich. 72
23. Diagram showing arrangement of plats and trees in the W. F. Gilkeson orchard, near Fishersville, Va. 88
24. Diagram showing arrangement of plats and trees in the Edward Hutchins orchard near Fennville, Mich. 93
25. Diagram showing arrangement of plats and trees in the F. C. Bancroft orchard, near Camden, Del. 99
26. Diagram showing arrangement of plats and trees in the Thomas fruit farm orchard, near Wichita, Kans. 103
27. Diagram showing emergence of moths, derived from band-record material collected in 1909. 117
28. Diagram showing emergence of moths, derived from band-record material collected in 1909. 118
29. Diagram showing time of pupation of spring brood of pupæ, 1910. 119
30. Diagram showing emergence of first-brood moths for 1910. 133
31. Diagram showing seasonal history of the codling moth during the season of 1910. 142
32. Diagram showing pupation of spring brood of larvæ, 1911. 144
33. Diagram showing emergence of moths; overwintering brood of 1911. 144
34. Diagram showing first-brood pupæ, 1911. 152
35. Diagram showing emergence of first-brood moths, 1911. 154
36. Diagram showing band record of 1909. 162
37. Diagram showing band record of 1910. 163
38. Diagram showing band record, Northern orchard, 1911. 164
39. Diagram showing seasonal history of the codling moth during the season of 1911. 166

ERRATA.

Page 1, after *Assistant*, replace period by comma.
Page 3, legend to figure 1, for *Emergency* read *Emergence.*
Page 32, legend to figure 1, after *Douglas* insert a comma.
Page 42, legend to Table XLII, for *emale* read *female.*
Page 161, line 20, for *Melachius* read *Malachius.*

INDEX.

Page.

Arsenate of lead—
- against codling moth 172–180
- and Bordeaux mixture against codling moth, plum curculio, and apple scab 94–98, 104–107
- and lime-sulphur, commercial, against codling moth and plum curculio .. 89–112
- and lime-sulphur, home-boiled, against codling moth and plum curculio .. 93–98
- distillate-oil emulsion, and tobacco extract against codling moth and pear thrips 179–180

Ascogaster carpocapsæ, parasite of codling moth 6, 74–76, 86

Bordeaux mixture—
- against apple scab 94
- and arsenate of lead against apple scab, codling moth, and plum curculio 94–98, 104–107

Carpocapsa pomonella. (*See* Codling moth.)

Chelonus carpocapsæ. (See *Ascogaster carpocapsæ*.)

Chrysopa sp., enemy of codling moth 74

Codling moth in Michigan—
- band records of 1909 5–6
- band records of 1910 26–31
- band records of 1911 60–65
- cannibalism among larvæ 83
- cocoon of wintering larva 6–7
- life-history studies for the seasons of 1909, 1910, and 1911, comparison 70–73
- definition of terms used 2–3
- first-brood eggs, effect of temperature on time of incubation 44–45
- first-brood eggs, length of incubation 14, 42–44
- first-brood larvæ, larval life in cocoon 15–16, 47
- first-brood larvæ, length of feeding period 15, 46
- first-brood larvæ, percentage of those transforming and wintering 15, 47
- first-brood larvæ, time of hatching 14–15, 46
- first-brood larvæ, time of maturity 15, 47
- first-brood moths, egg deposition by individual moths 19–20
- first-brood moths, length of life 20–21, 52–53
- first-brood moths, time of emergence 4, 18, 50–51
- first-brood moths, time of oviposition 18–19, 51–52
- first-brood pupæ, length of stage 17, 49
- first-brood pupæ, time of pupation 17, 48–49
- first generation 14–23, 42–55
- insect enemies 73–76
- larvæ feeding on apple foliage 84
- larvæ remaining two seasons in larval stage 83–84
- larval instars and molts, number 76–83
- life cycle of first generation 21–23, 53–55
- miscellaneous observations 76–84
- poison spray applications, time to apply them 86

Codling moth in Michigan—Continued. Page.
rearing material, source ... 33
seasonal-history studies of 1909 ... 3–6
seasonal-history studies of 1910 ... 6–31
seasonal-history studies of 1911 ... 32–66
second-brood eggs, effect of temperature on time of incubation ... 58
second-brood eggs, length of incubation ... 23–24, 55–58
second-brood larvæ, length of feeding period ... 25, 60
second-brood larvæ, time of hatching ... 24–25, 58–60
second-brood larvæ, time of leaving fruit ... 25, 60
second generation ... 23–25, 55–60
spring-brood moths, egg deposition by individual moths ... 38–40
spring-brood moths, egg deposition in stock-jar experiments ... 40–41
spring-brood moths, length of life ... 13, 41–42
spring-brood moths, period of egg deposition ... 41
spring-brood moths, time of emergence ... 3–4, 11, 37
spring-brood moths, time of oviposition ... 12–13
spring-brood moths, variation in size ... 11
spring-brood pupæ, length of pupal stage ... 10–11, 35
spring-brood pupæ, methods of recording pupation ... 8–9
spring-brood pupæ, relation of temperature to duration of stage ... 35–37
spring-brood pupæ, time of pupation ... 9, 34
summary, general ... 84–86
summary of seasonal-history studies of 1910 ... 31
summary of seasonal-history studies of 1911 ... 65–66
weather records for 1909, 1910, and 1911 ... 66–70
wintering larvæ ... 6–8
wintering larvæ, cocoon ... 6–7
wintering larvæ, variation in size ... 7
winter-killed larvæ ... 7–8, 33–34
Codling moth in Santa Clara Valley of California—
band records of 1909 ... 161–162
band records of 1910 ... 162–163
band records of 1911 ... 163–164
comparative life-history studies for 1909, 1910, and 1911 ... 170–171
comparison of life history in 1910 and 1911 ... 165–166
control on pears and apples ... 171–180
first-brood eggs ... 115
first-brood eggs, incubation period ... 126–128, 150–151
first-brood emergence *v.* overwintering emergence ... 164–165
first-brood larvæ ... 115
first-brood larvæ, larval life in cocoon ... 129–130
first-brood larvæ, number developing in one apple ... 128, 151
first-brood larvæ, period of feeding in fruit ... 128–129
first-brood larvæ, time of hatching ... 128, 151
first-brood moths, oviposition period ... 134, 154
first-brood moths, time of emergence ... 117–118, 133–134, 154
first-brood pupæ ... 115–117
first-brood pupæ, length of stage ... 130–133
first-brood pupæ, time of pupation ... 130, 152–153
first generation ... 115–118, 126–135, 150–155
life cycle of first generation ... 134–135, 155
natural enemies ... 160–161
review of life-history work of 1910 ... 142–143

Codling moth in Santa Clara Valley of California—Continued. Page.
review of life-history work of 1911 ... 165
seasonal-history studies of 1909 ... 114–118
seasonal-history studies of 1910 ... 119–143
seasonal-history studies of 1911 ... 143–160
second-brood eggs ... 118
second-brood eggs, incubation period ... 135–140, 156–159
second-brood larvæ, feeding period ... 140–141, 159–160
second-brood larvæ, time of hatching ... 159
second-brood larvæ, time of leaving fruit for wintering ... 141–142, 160
second generation ... 118, 135–142, 156–160
second series of larvæ ... 143–146
spring-brood moths ... 115
spring-brood moths, longevity ... 149–150
spring-brood moths, period of oviposition ... 125–126, 149
spring-brood moths, relative percentage of larvæ wintering from band material and percentage emerging as first-brood moths the year larvæ were collected ... 124–125
spring-brood moths, time of day moths emerged ... 125, 148–149
spring-brood moths, time of emergence ... 122–123, 147
spring-brood moths, time of emergence versus time wintering larvæ leave fruit preceding year ... 123–124, 148
spring-brood pupæ ... 114
spring-brood pupæ, comparative length of pupal periods of male and female larvæ ... 122
spring-brood pupæ, length of spring pupal stage ... 120–122
spring-brood pupæ, time of pupation ... 119, 143
summary ... 180–181
temperature conditions for spring brood of pupæ, 1911 ... 146–147
weather records for 1909, 1910, and 1911 ... 166–170
Codling moth, one-spray method in control—
conclusions ... 110–112
experiments in Delaware ... 98–102
experiments in Kansas ... 102–107
experiments in Michigan ... 92–98
experiments in Virginia ... 87–91
summary of results ... 107–109
Davidson, W. M., Jones, P. R., and, paper, "Life History of the Codling Moth in the Santa Clara Valley of California" ... 113–181
Distillate-oil emulsion, tobacco extract, and arsenate of lead against pear thrips and codling moth ... 179–180
Hairworm, enemy of codling moth ... 161
Hammar, A. G., paper, "Life History Studies on the Codling Moth in Michigan" ... 1–86
Jones, P. R., and Davidson, W. M., paper, "Life History of the Codling Moth in the Santa Clara Valley of California" ... 113–181
Lacewing fly. (See *Chrysopa* sp.)
Lime sulphur—
commercial, against codling moth and plum curculio ... 89–102
commercial, and arsenate of lead against codling moth and plum curculio ... 89–112
home-boiled, and arsenate of lead against codling moth and plum curculio ... 93–98
Malachius æneus ... 161
Malachius auritus, enemy of codling moth ... 161
Mermithidæ. (*See* Hairworm.)
Nematode worms, parasites of codling moth ... 76

UNIVERSITY OF FLORIDA
3 1262 08928 8434

Page.
One-spray method against codling moth and plum curculio—
conclusions 110–112
summary of results 107–109
paper 87–112
Pinacodera limbata, enemy of codling moth 74
Platynus placidus, enemy of codling moth 74
Plum curculio, one-spray method in control—
conclusions 110–112
experiments in Delaware 98–99, 102
experiments in Kansas 102–104
experiments in Michigan 92–94
experiments in Virginia 88–89, 91–92
summary of results 107–109
QUAINTANCE, A. L., and SCOTT, E. W., paper, "The One-Spray Method in the Control of the Codling Moth and the Plum Curculio" 87–112
SCOTT, E. W., QUAINTANCE, A. L., and, paper, "The One-Spray Method in the Control of the Codling Moth and the Plum Curculio" 87–112
Tenebroides castanea, enemy of codling moth 74
Tenebroides corticalis, enemy of codling moth 73–74
Tobacco extract, distillate-oil emulsion, and arsenate of lead against pear thrips and codling moth 179–180
Trichogramma pretiosa, parasite of codling moth 160–161

○